




# 133

## Package Vending Specification

426 Industrial Boulevard • Kearneysville WV 25430-2776  
Phone: (304) 728-7056 • Fax: (304) 725-6579



PAGE: 1 of 3
DATE: 10-05-06
REVISION: 00

**PRODUCT NAME:** 8 oz Nesquik  
**BOTTLER / COMPANY:** Nestlé USA Inc.  
**VOLUME:** 8 oz. / 236 mL  
**PACKAGE TYPE:** PET  
**HEIGHT:** 5.6 in. / 142.2 mm  
**DIAMETER:** 2.40 in. / 60.8 mm  
**WEIGHT:** 0.60 lbs. / 0.27 kg  
**COUNTRY OF ORIGIN:** USA



### APPROVED VENDERS

VENDER	RETAINERS		72" CAPACITY	
	Front	Rear	Front	Rear
Milk	8	8	30	30

**KITS / PARTS:** *Milk venders with no kits currently installed:* 332140 Nesquik 8 oz Front Column Vend Kit (one per front column); 332141 Nesquik 8 oz Rear Column Vend Kit (one per rear column). *Anti-friction Sheet Silicone (827004) will also be required for all columns.* **Milk venders with kits for 13.5 oz., 14 oz., or 16 oz. Nesquik bottle kits currently installed:** 332142 Nesquik 8 oz Conversion Kit Front (one per front column); 332143 Nesquik 8 oz Conversion Kit Rear (one per rear column).

### KIT INSTALLATION INSTRUCTIONS:

**NOTE:** For venders with other Nesquik kits previously installed, skip steps 3, 4, 6a and 6b (front columns), and steps 7a and 7b (rear columns).


- Remove power from the vender by unplugging the vender's main power cord from the AC voltage source (wall outlet).
- Remove all product from the column to be converted.
- Remove the plastic baffle from the column. Also, for front columns, remove the product retainers.
- Remove the rubber strip on the top left-side column wall which is used to secure product retainers.
- Install a Nesquik filler as shown in Figure 1.
- FRONT COLUMNS:**
  - Install the front left filler plate by placing it all the way against the center divider channel, so that the filler plate's top tab slides into position 9 and the bottom tab slides securely into the square hole in the baffle nearest the divider. (See Figure 4.)
  - Install an anti-friction sheet so that the top of the sheet is at the laser line on the filler plate, with the bottom portion of the sheet on the baffle. Apply a thin coat of silicone to the anti-friction sheet after it is installed.
  - Install the front right filler plate by placing it all the way against the center divider channel. (See Figure 5.)
  - Attach one long and one short product retainer extrusion to each product retainer. (See Figure 2.) Install the product retainers in position 8, counting from the front. **Note:** The retainer extrusions included in other Nesquik kits are NOT the same as the ones included in the 8-ounce Nesquik kits. The previous retainer extrusions will need to be replaced.
- REAR COLUMNS:**
  - Install the filler plates by placing the top tabs in the positions closest to the divider channel. (See Figure 6.)
  - On the left-side filler plate, install an anti-friction sheet so that the top of the sheet is at the laser line on the filler plate, with the bottom portion of the sheet on the baffle. Apply a thin coat of silicone to the anti-friction sheet after it is installed.
  - Place the backspacer assembly in position 8, counting from the rear.
- Attach one divider extrusion to each side of the center channel. (See Figure 3.) **Note:** For venders with other Nesquik kits previously installed, only the right-side divider extrusion will need to be added.
- Load bottles with caps to the front in front columns and caps to the rear in rear columns.
- Restore power to the vender by plugging the vender's main power cord into the AC voltage source (wall outlet).

**ANY QUESTIONS???** CONTACT ROYAL VENDORS' CUSTOMER SERVICE DEPARTMENT  
**CALL TOLL FREE (800) 931-9214**



# 133 Package Vending Specification


426 Industrial Boulevard • Kearneysville WV 25430-2776  
 Phone: (304) 728-7056 • Fax: (304) 725-6579




**PAGE:** 2 of 3  
**DATE:** 10-05-06  
**REVISION:** 00

PRODUCT NAME: 8 oz Nesquik


**Figure 1**  
 Installation of filler plate




**Figure 2**  
 Product retainer extrusion installation



**Figure 3**  
 Installation of divider extrusions



**Figure 4**  
 Installation of front filler plate - left column wall




**ANY QUESTIONS??? CONTACT ROYAL VENDORS' CUSTOMER SERVICE DEPARTMENT  
 CALL TOLL FREE (800) 931-9214**



# 133

## Package Vending Specification

426 Industrial Boulevard • Kearneysville WV 25430-2776  
Phone: (304) 728-7056 • Fax: (304) 725-6579



PAGE: 3 of 3

DATE: 10-05-06


REVISION: 00

PRODUCT NAME: 8 oz Nesquik

### Figure 5


Installation of front filler plate - right column wall

Place the front right filler plate all the way against the center channel.



### Figure 6

Installation of rear filler plates



**ANY QUESTIONS??? CONTACT ROYAL VENDORS' CUSTOMER SERVICE DEPARTMENT  
CALL TOLL FREE (800) 931-9214**